| | Application No. | Applicant(s) |
|--|--|------------------------------|
| | 10/634,894 | BECKMANN ET AL. |
| Notice of Allowability | Examiner | Art Unit |
| | In Suk Bullock | 1764 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to the Remarks/Terminal Disclaimer filed June 14, 2006. | | |
| 2. Mathematical The allowed claim(s) is/are 1-17. | | |
| Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) | | |
| 1. 🛛 Certified copies of the priority documents have been received. | | |
| 2. Certified copies of the priority documents have been received in Application No | | |
| 3. Copies of the certified copies of the priority documents have been received in this national stage application from the | | |
| International Bureau (PCT Rule 17.2(a)). | | |
| * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. | | |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) 🗌 hereto or 2) 🗍 to Paper No./Mail Date | | |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date | | |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| | | |
| Attachment(s) | | |
| 1. ☐ Notice of References Cited (PTO-892) | _ | atent Application (PTO-152) |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948) | 6. Interview Summary Paper No./Mail Da | |
| 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 | Paper No./Mail Da 08), 7. ⊠ Examiner's Amendr | ment/Comment |
| Paper No./Mail Date 6/14/2006 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8. 🛭 Examiner's Stateme | ent of Reasons for Allowance |
| of biological material | 9. | |
| | | |
| | | |
| | | |

Application/Control Number: 10/634,894 Page 2

Art Unit: 1764

DETAILED ACTION

Terminal Disclaimer

The terminal disclaimer filed on June 14, 2006 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of Application Serial Number 10,467,844, now U.S. Patent 7,002,053 has been reviewed and is accepted. The terminal disclaimer has been recorded.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Daniel Evans on June 26, 2006.

The application has been amended as follows:

Claim 17, line 1 – deleted "a" and replaced with "the C₄-hydrocarbon".

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: No prior art alone or in combination was found to disclose or suggest a process for oligomerizing isobutene in the presence of a solid acidic ion exchange resin, wherein at least one acidic proton of said ion exchange resin has been exchanged for a metal ion.

Application/Control Number: 10/634,894

Art Unit: 1764

,894 Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to In Suk Bullock whose telephone number is 571-272-5954. The examiner can normally be reached on Monday - Friday 6:00-2:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Caldarola can be reached on 571-272-1444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

I.B.

Supervisory Patent Examine

Technology Centil 1700